



LC886N Exploded Drawing





出口LC886N


| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------------|----------------------------------------------------|-------|
| 1 | C-8M-1100000 | BODY | 1 |
| 2 | C-54-1000005 | RUBBER FOOT | 4 |
| 3 | C-54-1000022 | PLUG C | 2 |
| 4 | C-54-1000023 | PLUG A | 2 |
| 5 | C-54-1000028 | PLUG B | 1 |
| 6 | CT-B-C000000 | BEAD BREAKER ARM ASSEMBLY | 1 |
| 7 | GB5782-M16×100 | HEXANGULAR BOLT | 1 |
| 8 | GB95-16 | FLAT WASHER | 1 |
| 9 | GB889. 1-M16 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 10 | CT-C-2100000 | BEAD BREAKER BLADE | 1 |
| 11 | C-54-1000002 | WASHER | 1 |
| 12 | GB955-14 | WAVE-FORM SPRING WASHER | 1 |
| 13 | GB889. 1-M14 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 14 | TC-40-1200022 | RUBBER COVER | 1 |
| 15 | CT-LS-9200000 | BEAD BREAKER CYLINDER ASSEMBLY | 1 |
| 16 | C-54-1000010 | SCREWS M14X42 | 2 |
| 17 | GB6172. 1-M14 | HEXANGULAR THIN NUT | 2 |
| 18 | GB861. 1-14 | INNER TOOTH LOCK WAHSER | 2 |
| 19 | C-54-1000013 | SEALED COVER | 1 |
| 20 | C-54-1000016 | RUBBER WASHER | 1 |
| 21 | GB889. 2-M18×1. 5 | NUT M18×1. 5 | 1 |
| 22 | GB1096-C12×8×45 | COMMON FLAT KEY | 1 |
| 23 | CT-J-4100000 | GEARBOX (USED WITH 50HZ MOTOR) | 1 |
| 24 | CT-DJ-0318112Y | MOTOR (220-240V, 50Hz, 1P, 1. 1Kw) | 1 |
| 25 | CT-DJ-0334122 | MOTOR (380V, 50Hz, 3P, 0. 75Kw) | 1 |
| 26 | CT-DJ-0344123 | MOTOR (380V, 50Hz, 3P, 0. 85-1. 1Kw, DOUBLE SPEED) | 1 |
| 27 | GB96. 1-10 | LARGE WASHER A GRADE | 12 |
| 28 | GB5782-M10×200-8. 8 | BOLT M10×200 | 4 |
| 29 | GB5782-M10×160-8. 8 | BOLT M10×160 | 2 |
| 30 | GB95-10 | FLAT WASHER | 16 |
| 31 | GB41-M10 | HEXANGULAR NUT | 17 |
| 32 | CT-DJ-0000007 | BELT (USED WITH 50HZ MOTOR) | 1 |
| 33 | CT-D-6100000 | PEDAL ASSEMBLY | 1 |
| 34 | CT-D-8100000 | PEDAL ASSEMBLY (DOUBLE SPEED) | 1 |
| 35 | GB93-10 | STANDARD SPRING WASHER | 2 |
| 36 | GB70. 1-M10×30 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 37 | CT-Q-5000000 | ROTATING UNION | 1 |
| 38 | CT-Q-6000000 | CLAMP RING | 1 |
| 39 | GB93-8 | STANDARD SPRING WASHER | 3 |
| 40 | GB70. 1-M8×30 | INNER HEXA CYLINDRICAL SCREW | 3 |

出口LC886N

| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-----------------|-------------------------------------------------|-------|
| 41 | CT-F-2111200 | AIR REGULATOR ASSEMBLY | 1 |
| 42 | GB70. 1-M6×10 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 43 | C-7N-1200000 | COLUMN WELDING | 1 |
| 44 | C-7N-1000002 | ROTATION SHAFT | 1 |
| 45 | C-86-1000003 | LOCKING BUSHING | 2 |
| 46 | C-6A-1000003 | CONICAL BUSHING | 2 |
| 47 | GB6184-M20 | 1-TYPE METAL HEXAGON LOCK NUT | 2 |
| 48 | C-90-1000012 | POSITION BOLT | 2 |
| 49 | CT-XD-1000000A | PULL-OUT CYLINDER ASSEMBLY | 1 |
| 50 | GB882-12×120 | PIN SHAFT | 1 |
| 51 | C-77-1000012 | CIRCLIP | 1 |
| 52 | GB70. 1-M12×50 | INNER HEXA CYLINDRICAL SCREW | 1 |
| 53 | GB889. 1-M12 | 1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 54 | C-86-1000006 | WASHER Φ30xΦ10x15 | 2 |
| 55 | GB70. 3-M8×30 | INNER COUNTERSUNK SCREW | 2 |
| 56 | GB5783-M10×35 | HEXANGULAR BOLT | 1 |
| 57 | TC-10-8400006 | OIL BOTTLE | 1 |
| 58 | C-6A-1100000 | HORIZONTAL ARM ASSEMBLY | 1 |
| 59 | C-7C-1000004 | PEDESTAL | 1 |
| 60 | C-7C-1000005 | TELEFLEX | 1 |
| 61 | GB119. 1-10×50 | CYLINDRICAL PIN | 1 |
| 62 | GB77-M8×20 | INNER HEXA FLAT TERMINUS SET SCREW | 2 |
| 63 | GB6172. 1-M8 | HEXANGULAR THIN NUT | 2 |
| 64 | GB95-8 | FLAT WASHER | 2 |
| 65 | C-77-1500000 | LOCKING CYLINDER ASSY | 1 |
| 66 | C-7N-1000001 | SQUARE LOCK PLATE | 1 |
| 67 | C-71-1000029 | INNER HEXA FLAT TERMINUS SET SCREW | 1 |
| 68 | GB6173-M10×1. 0 | HEXA THIN NUT | 1 |
| 69 | C-86-1000005 | PRESS SPRING | 2 |
| 70 | C-86-1000004 | INNER HEXA CONIC TERMINUS SET SCREW | 2 |
| 71 | GB41-M12 | HEXANGULAR NUT | 2 |
| 72 | C-77-1000003 | CUSHION | 2 |
| 73 | C-77-1000004 | RUBBER WASHER | 1 |
| 74 | GB5783-M8×25 | HEXANGULAR BOLT | 1 |
| 75 | C-77-1000009 | AIR HOSE CHUTE | 1 |
| 76 | C-77-1000006 | PROTECTIVE HOOD LOCK BUSHING | 2 |
| 77 | GB818-M6×40-H | CROSS PANHEAD SCREW | 2 |
| 78 | C-8E-1000002 | PROTECTIVE COVER | 1 |
| 79 | C-71-1000024 | INFLATING GUN HOOK | 1 |
| 80 | GB41-M8 | HEXANGULAR NUT | 1 |


出口LC886N

| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------|------------------------------|-------|
| 81 | CT-P-6000000 | INFLATING GUN ASSY | 1 |
| 82 | CT-Y-B100000 | TURNTABLE ASSEMBLY | 1 |
| 83 | C-54-1000012 | PRESS COVER | 1 |
| 84 | GB70. 1-M12×30 | INNER HEXA CYLINDRICAL SCREW | 1 |
| 85 | C-61-1000001 | SIDE PANEL | 1 |
| 86 | GB95-6 | FLAT WASHER | 5 |
| 87 | GB70. 1-M6×20 | INNER HEXA CYLINDRICAL SCREW | 10 |
| 88 | GB95-5 | FLAT WASHER | 2 |
| 89 | GB5783-M5×16 | HEXANGULAR BOLT | 1 |
| 90 | C-5E-1000003 | RUBBER PLATE | 1 |
| 91 | GB70. 1-M8×25 | INNER HEXA CYLINDRICAL SCREW | 3 |
| 92 | C-5E-1000002 | COVER | 1 |
| 93 | C-86-1400000 | HANDLE WHEEL | 1 |
| 94 | C-7N-1000010 | PROTECTIVE COVER | 1 |
| 95 | C-01-1000006 | COVER CAP | 6 |
| 96 | C-61-1000003 | HELPER RUBBE PLUG | 1 |
| 97 | C-61-1000002 | CUSHION BUSHING | 1 |
| 98 | C-71-1000027 | HELPER RUBBE PLUG | 3 |
| 99 | FPT 6-8-8 | DIFFERENT DIA OF UNION TEE | 1 |
| 100 | CT-E-EU00315 | CABLE(1P) | 1 |
| 101 | CT-E-UN00410 | CABLE(3P) | 1 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|--------------------|------------------------------------------------|-------|
| 1 | C-77-1310000 | HORIZONTAL ARM WELDING | 1 |
| 2 | C-77-1300003 | HEXANGULAR SHAFT | 1 |
| 3 | C-77-1300004 | HEXANGULAR LOCK PLATE | 1 |
| 4 | C-71-1330000 | HANDLE CONTROLING VALVE | 1 |
| 5 | C-54-0001000 | DEMOUNTING HEAD ASSEMBLY | 1 |
| 6 | C-54-1300008 | PRESS WASHER | 1 |
| 7 | C-71-1300005A | POSITIONING BLOCK | 1 |
| 8 | C-5E-1300001 | VERTICAL SHAFT COVER | 1 |
| 9 | C-54-1300010 | VERTICAL SHAFT SPRING | 1 |
| 10 | C-54-1300007 | SHOCK ABSORBER WASHER | 1 |
| 11 | C-71-1300004 | SPRING | 2 |
| 12 | C-71-1320000 | LOCKING CYLINDER ASSY | 1 |
| 13 | GB93-10 | STANDARD SPRING WASHER | 1 |
| 14 | GB5783-M10×25-12.9 | HEXANGULAR BOLT | 1 |
| 15 | GB70.1-M6×10 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 16 | GB95-8 | FLAT WASHER | 1 |
| 17 | GB70.1-M8×20 | INNER HEXA CYLINDRICAL SCREW | 1 |
| 18 | GB70.1-M10×30 | INNER HEXA CYLINDRICAL SCREW | 1 |
| 19 | C-71-1000029 | INNER HEXA FLAT TERMINUS SET SCREW | 1 |
| 20 | GB95-4 | FLAT WASHER | 4 |
| 21 | GB70.1-M4×12 | INNER HEXA CYLINDRICAL SCREW | 4 |
| 22 | GB6173-M10×1.0 | HEXA THIN NUT | 1 |
| 23 | GB889.1-M10 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 24 | GB889.1-M8 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 25 | GB70.2-M8×35 | INNER HEXA CYLINDRICAL ROUND HEAD SCREW | 1 |

C-71-1320000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-------------------|------------------------------------------|-------|
| 1 | C-71-1320001 | LOCK TURNTABLE CYLINDER HEAD | 1 |
| 2 | C-71-1320002 | LOCK CYLINDER BODY | 1 |
| 3 | C-71-1320003 | Y-RING | 1 |
| 4 | GB70. 1-M6×35 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 5 | GB3452. 1-6×1.8-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 2 |
| 6 | PBS 6-01 | MALE BRANCH TEE NUT | 1 |

C-71-1330000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------------|------------------------------------------|-------|
| 1 | C-71-1330001 | HANDLE CONTROL VALVE | 1 |
| 2 | C-71-1330002 | VALVE ROD | 1 |
| 3 | C-71-1330003 | VALVE SPACER | 3 |
| 4 | C-71-1330004 | FRONT COVER | 2 |
| 5 | C-71-1330005 | REAR COVER | 1 |
| 6 | C-71-1330006 | FRONT SEALING COVER | 1 |
| 7 | MFPC 6-01 | MALE STRAIGHT | 2 |
| 8 | GB3452. 1-8×2. 65-A | HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE | 4 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|--------------|----------------------------------------|-------|
| 1 | C-54-1300004 | DEMOUNTING HEAD | 1 |
| 2 | C-54-1300006 | ROLLER BOLT | 1 |
| 3 | C-54-1300009 | ROLLER | 1 |
| 4 | C-54-8000007 | TOOL HEAF TAIL WASHER | 1 |
| 5 | GB80-M12×12 | INNER HEXA RECESSED TERMINUS SET SCREW | 2 |
| 6 | GB80-M12×16 | INNER HEXA RECESSED TERMINUS SET SCREW | 2 |
| 7 | C-54-1300014 | SHEATH | 1 |

C-77-1500000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-------------------|------------------------------------------|-------|
| 1 | C-71-1320001 | LOCK TURNTABLE CYLINDER HEAD | 1 |
| 2 | C-71-1320002 | LOCK CYLINDER BODY | 1 |
| 3 | C-71-1320003 | Y-RING | 1 |
| 4 | GB70. 1-M6×35 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 5 | GB3452. 1-6×1.8-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 2 |
| 6 | FPL 6-01 | MALE ELBOW | 1 |

CT-XD-1000000A




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------|------------------------------|-------|
| 1 | CT-XD-1200000 | PULL-OUT CYLINDER | 1 |
| 2 | FPL 8-01 | INSERT ELBOW $\Phi 8$, R1/8 | 2 |
| 3 | GB93-12 | STANDARD SPRING WASHER | 1 |
| 4 | CT-XD-1000007 | BEARING JOINTS | 1 |
| 5 | H-12-1000001 | FELT WASHER | 1 |

CT-XD-1200000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------------|-------------------------------------------------|-------|
| 1 | CT-XD-1000005 | CYLINDER REAR COVER | 1 |
| 2 | CT-XD-1000001 | CYLINDER BODY | 1 |
| 3 | CT-XD-1200001 | SHAFT-CLYNDR | 1 |
| 4 | GB95-12 | FLAT WASHER | 1 |
| 5 | GB889. 1-M12 | 1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 6 | CT-Y-4120004 | CYLINDER FRONT COVER | 1 |
| 7 | GB12613-23×20×10 | BEARING-SLIDE | 1 |
| 8 | GB893. 1-30 | ELASTIC RETAINING RING A-TYPE | 1 |
| 9 | CT-XD-1000003 | BARS | 4 |
| 10 | GB889. 1-M8 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 8 |
| 11 | CT-Y-4121000 | CYCLINDER SEALING PARTS ASSEMBLY | 1 |
| 11.1 | GB3452. 1-75×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 2 |
| 11.2 | CT-Y-0160007 | SEAL-ROD, CYLNDR | 1 |
| 11.3 | GB3452. 1-20×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1 |
| 11.4 | CT-Y-4120006 | PISTON | 1 |




CT-D-6100000

| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-----------------------|------------------------------------------------|-------|
| 1 | CT-D-6100001 | PEDAL SUPPORT | 1 |
| 2 | CT-D-6100002 | BOTTOM SHAFT | 1 |
| 3 | CT-D-5100003 | PEDAL | 3 |
| 4 | CT-D-2100001 | SPACER | 2 |
| 5 | CT-D-5100002 | PEDAL | 1 |
| 6 | CT-D-5100005 | CONNECTION PART | 3 |
| 7 | CT-D-0010000 | VALVE | 1 |
| 8 | CT-D-0014000 | VALVE | 1 |
| 9 | CT-D-0015000 | VALVE | 1 |
| 10 | GB9074-M6×20 | COMBINATION SCREW | 15 |
| 11 | CT-D-2100004 | FORK SPRING PLATE | 2 |
| 12 | CT-D-1100009B | CAM | 2 |
| 13 | GB95-6 | FLAT WASHER | 4 |
| 14 | GB93-6 | STANDARD SPRING WASHER | 6 |
| 15 | GB70. 1-M6×25 | INNER HEXA CYLINDRICAL SCREW | 4 |
| 16 | CT-D-1100011A | CAM BAFFLE PLATE | 2 |
| 17 | GB845-ST2. 9×9. 5 H C | CROSS PANHEAD TAPPING SCREW | 4 |
| 18 | GB95-10 | FLAT WASHER | 6 |
| 19 | GB882-4×22 | PIN SHAFT | 3 |
| 20 | GB91-1. 6×10 | SLOTTED PIN | 3 |
| 21 | GB5783-M8×60 | HEXANGULAR BOLT | 3 |
| 22 | GB889. 1-M8 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 8 |
| 23 | CT-D-1100008 | CAM CONNECTING ROD | 2 |
| 24 | GB70. 1-M8×40 | INNER HEXA CYLINDRICAL SCREW | 3 |
| 25 | GB41-M8 | HEXANGULAR NUT | 4 |
| 26 | CT-D-5100007 | SPRING | 3 |
| 27 | CT-D-2100010 | TORSION SPRING BRACKET | 1 |
| 28 | GB41-M6 | HEXANGULAR NUT | 4 |
| 29 | CT-D-2100002 | TORSION SPRING | 1 |
| 30 | GB5782-M8×55 | HEXANGULAR BOLT | 1 |
| 31 | CT-D-2100014 | WASHER | 1 |
| 32 | CT-D-5100008 | SWITCH SUPPORT | 1 |
| 33 | CT-D-5100009A | SWITCH SUPPORT | 1 |
| 34 | CT-D-1100018 | SWITCH | 1 |
| 35 | CT-D-1100014 | SWITCH COVER | 1 |
| 36 | GB70. 1-M6×12 | INNER HEXA CYLINDRICAL SCREW | 2 |
| 37 | CT-D-2100005 | SPACER | 2 |
| 38 | CT-D-2100011 | CONNECTION ROD | 1 |
| 39 | CT-D-1100010 | REVERSE LEVER | 1 |
| 40 | GB5783-M8×40 | HEXANGULAR BOLT | 1 |
| 41 | CT-D-2100012 | ROTATION SHAFT | 1 |
| 42 | GB9074. 4-M4×16 | COMBINATION SCREW | 1 |
| 43 | GB894. 1-14 | SHAFT ELATIC BIG RETAINING RING A-TYPE | 2 |
| 44 | GB9074. 4-M5×25 | COMBINATION SCREW | 2 |




CT-D-8100000


| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-----------------------|------------------------------------------------|-------|
| 1 | CT-D-6100001 | PEDAL SUPPORT | 1 |
| 2 | CT-D-6100002 | BOTTOM SHAFT | 1 |
| 3 | CT-D-5100003 | PEDAL | 3 |
| 4 | CT-D-2100001 | SPACER | 2 |
| 5 | CT-D-5100005 | CONNECTION PART | 3 |
| 6 | CT-D-5100002 | PEDAL | 1 |
| 7 | CT-D-0015000 | VALVE | 1 |
| 8 | CT-D-0014000 | VALVE | 1 |
| 9 | CT-D-0010000 | VALVE | 1 |
| 10 | GB9074-M6×20 | COMBINATION SCREW | 16 |
| 11 | CT-D-2100004 | FORK SPRING PLATE | 2 |
| 12 | CT-D-1100009B | CAM | 2 |
| 13 | GB95-6 | FLAT WASHER | 4 |
| 14 | GB93-6 | STANDARD SPRING WASHER | 4 |
| 15 | GB70. 1-M6×25 | INNER HEXA CYLINDRICAL SCREW | 4 |
| 16 | CT-D-1100011A | CAM BAFFLE PLATE | 2 |
| 17 | GB845-ST2. 9×9. 5 H C | CROSS PANHEAD TAPPING SCREW | 4 |
| 18 | GB95-10 | FLAT WASHER | 6 |
| 19 | GB882-4×22 | PIN SHAFT | 3 |
| 20 | GB91-1. 6×10 | SLOTTED PIN | 3 |
| 21 | GB5783-M8×60 | HEXANGULAR BOLT | 3 |
| 22 | GB889. 1-M8 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 8 |
| 23 | CT-D-1100008 | CAM CONNECTING ROD | 2 |
| 24 | GB70. 1-M8×40 | INNER HEXA CYLINDRICAL SCREW | 3 |
| 25 | GB41-M8 | HEXANGULAR NUT | 4 |
| 26 | CT-D-5100007 | SPRING | 3 |
| 27 | CT-D-2100010 | TORSION SPRING BRACKET | 1 |
| 28 | GB41-M6 | HEXANGULAR NUT | 6 |
| 29 | CT-D-2100014 | WASHER | 1 |
| 30 | CT-D-8100001 | SWITCH BARCKET | 1 |
| 31 | CT-D-7100001 | TORSION SPRING | 1 |
| 32 | CT-D-7100002 | SWITCH CONNECTING PLATE | 1 |
| 33 | CT-D-7100004H | BRACKET PLATE | 1 |
| 34 | CT-D-7100005 | SAPCER PLATE | 1 |
| 35 | CT-D-7100006 | SWITCH COVER | 1 |
| 36 | CT-D-7100007 | SWITCH | 1 |
| 37 | CT-D-7100008 | REVERSE LEVER | 1 |
| 38 | GB5783-M8×35 | HEXANGULAR BOLT | 1 |
| 39 | GB5783-M8×70 | HEXANGULAR BOLT | 1 |
| 40 | GB70. 1-M6×30 | INNER HEXA CYLINDRICAL SCREW | 1 |
| 41 | GB9074. 4-M5×25 | COMBINATION SCREW | 2 |
| 42 | GB889. 1-M6 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 43 | GB894. 1-14 | SHAFT ELATIC BIG RETAINING RING A-TYPE | 2 |
| 44 | GB9074. 13-M4×16 | COMBINATION SCREW | 1 |
| 45 | GB5783-M6×30 | HEXANGULAR BOLT | 1 |



| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------------|---------------------------|-------|
| 1 | CT-D-1110001 | VALVE BODY | 1 |
| 2 | CT-D-1110003 | O-RING | 6 |
| 3 | CT-D-1110004 | SPACER | 5 |
| 4 | CT-D-1110005 | VALVE CAP | 1 |
| 5 | CT-D-2600001 | VALVE ROD | 1 |
| 6 | GB879. 1-4×20 | PIN | 1 |
| 7 | GB95-10 | FLAT WASHER | 1 |
| 8 | GB845-ST2. 9×13 H C | SCREW | 3 |
| 9 | FPD 8-01 | MALE RUN TEE | 1 |
| 10 | FPC 8-01 | MALE STRAIGHT | 2 |
| 11 | FSK 01 | PLASTIC PARTICLE SILENCER | 2 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|--------------------|-----------------------------|-------|
| 1 | CT-D-1110001 | VALVE BODY | 1 |
| 2 | CT-D-1110003 | O-RING | 6 |
| 3 | CT-D-1110004 | SPACER | 5 |
| 4 | CT-D-1110005 | VALVE CAP | 1 |
| 5 | CT-D-2600003 | VALVE ROD | 1 |
| 6 | GB845-ST2.9×13 H C | CROSS PANHEAD TAPPING SCREW | 3 |
| 7 | FPB 8-01 | INSERT TEE, Φ8 , R1/8 | 1 |
| 8 | FPC 8-01 | MALE STRAIGHT | 2 |
| 9 | FSK 01 | PLASTIC PARTICLE SILENCER | 2 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------------|--------------------------|-------|
| 1 | CT-D-1110001 | VALVE BODY | 1 |
| 2 | CT-D-1110003 | O-RING | 6 |
| 3 | CT-D-1110004 | SPACER | 5 |
| 4 | CT-D-1110005 | VALVE CAP | 1 |
| 5 | CT-D-2600003 | VALVE ROD | 1 |
| 6 | GB845-ST2. 9×13 H C | SCREW | 3 |
| 7 | FPL 8-01 | INSERT ELBOW Φ8, R1/8 | 1 |
| 8 | FPC 8-01 | MALE STRAIGHT | 2 |
| 9 | FJSR 01 | BRASS REGULATOR SILENCER | 2 |

CT-B-C000000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------|------------------------|-------|
| 1 | CT-B-C100000 | BEAD BREAKER | 1 |
| 2 | CT-B-A200000 | PIN SHAFT | 1 |
| 3 | CT-B-A000001 | TURN ROD | 1 |
| 4 | CT-B-A000002 | CONNECT ROD | 1 |
| 5 | CT-B-6000003 | PAD | 1 |
| 6 | GB93-10 | STANDARD SPRING WASHER | 1 |
| 7 | GB5783-M10×20 | HEXANGULAR BOLT | 1 |
| 8 | CT-B-2000002 | SPRING | 1 |

CT-LS-9200000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|-------|----------------------------------|------------------------------------------|-------|
| 1 | CT-LS-1100002 | CYLINDER BODY | 1 |
| 2 | CT-LS-9100001 | CYLINDER PISTON ROD | 1 |
| 3 | CT-LS-1100003 | PISTON | 1 |
| 4 | CT-LS-1100004 | CYLINDER COVER | 1 |
| 5 | CT-LS-1100006 | CLAMP RING | 2 |
| 6 | CT-LS-1100007 | PISTION SUPPORT RING | 1 |
| 7 | CT-LS-1100008 | GUIDER SPACER | 1 |
| 8 | FPL 8-02 | INSERT ELBOW $\Phi 8$, R1/4 | 1 |
| 9 | CT-LS-1320000 | QUICK DEFLATE VALVE ON BODY | 1 |
| 10 | GB893. 2-30 | ELASTIC RETAINING RING B-TYPE | 1 |
| 11 | GB5789-AM6 \times 25 | HEXA FLANGE BOLT | 12 |
| 12 | GB6177. 1-M6 | HEXA FLANGE NUT | 12 |
| 13 | GB889. 2-M18 \times 1. 5 | NUT M18X1. 5 | 1 |
| 14 | CT-LS-1110000 | CYLINDER SEALING PARTS ASSEMBLY | 1 |
| 14. 1 | CT-Y-0160007 | SEAL-ROD, CYLNDR | 1 |
| 14. 2 | CT-LS-1100009 | Y-RING | 2 |
| 14. 3 | GB3452. 1-185 \times 3. 55-G | O-RING G TYPE | 1 |
| 14. 4 | GB3452. 1-15. 5 \times 2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------------------------|------------------------------------------|-------|
| 1 | CT-LS-1310001 | LOWER COVER OF QUICK DEFLATE VALVE | 1 |
| 2 | CT-LS-1310002 | COVER OF QUICK DEFLATE VALVE | 1 |
| 3 | CT-LS-1310003 | PISTON | 1 |
| 4 | CT-LS-1310004 | RUBBER WASHER | 1 |
| 5 | CT-K-1100007 | FITTING | 1 |
| 6 | FPL 8-01 | INSERT ELBOW $\Phi 8$, R1/8 | 1 |
| 7 | FSK 02 | PLASTIC PARTICLE SILENCER | 1 |
| 8 | GB3452. 1-12. 8 \times 2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1 |

CT-Y-B100000




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------|----------------------------------------|-------|
| 1 | CT-Y-B110000D | TURNTABLE | 1 |
| 2 | CT-Y-0100003 | SPACER | 4 |
| 3 | CT-Y-B100001 | WEARABLE WASHER | 4 |
| 4 | CT-Y-A130000 | SLIDE COVER | 4 |
| 5 | CT-Y-0100002 | CLAMP | 4 |
| 6 | CT-Y-B120000 | CONNECTION PLATE | 4 |
| 7 | CT-Y-5030000 | SQUARE TURNTABLE | 1 |
| 8 | CT-Y-B130000 | CYLINDER BRACKET | 2 |
| 9 | CT-Y-B100002 | PRESS BOARD | 2 |
| 10 | CT-Y-B140000 | CYLINDER ASSEMBLY D80X366 | 2 |
| 11 | GB894. 1-85 | SHAFT ELATIC BIG RETAINING RING A-TYPE | 1 |
| 12 | GB95-12 | FLAT WASHER | 12 |
| 13 | GB894. 1-12 | SHAFT ELATIC BIG RETAINING RING A-TYPE | 4 |
| 14 | GB879. 1-4×16 | ELASTIC CYLINDRICAL PIN, HEAVY | 8 |
| 15 | GB5782-M12×85 | HEXANGULAR BOLT | 4 |
| 16 | GB93-12 | STANDARD SPRING WASHER | 8 |
| 17 | GB5783-M12×30 | HEXANGULAR BOLT | 4 |
| 18 | CT-Y-5000005 | PROTECTIVE COVER | 4 |
| 19 | GB70. 3-M6×16 | INNER COUNTER SUNK SCREW | 12 |
| 20 | CT-Y-0100008 | HINGE ELBOW Φ8 G1/8 | 2 |
| 21 | CT-Y-0100006 | HINGE ELBOW Φ8 G1/8 | 2 |


CT-Y-B140000



| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------------|-------------------------------------------------|-------|
| 1 | CT-Y-4120004 | CYLINDER FRONT COVER | 1 |
| 2 | CT-Y-B140001 | CYLINDER 80MM | 1 |
| 3 | CT-Y-B140002 | SHAFT-CLYDR | 1 |
| 4 | CT-Y-4120005 | CAP-BASE, CYLNDR | 1 |
| 5 | CT-Y-B140003 | BOLT | 4 |
| 6 | GB893. 1-30 | ELASTIC RETAINING RING A-TYPE | 1 |
| 7 | GB889. 1-M8 | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 4 |
| 8 | GB95-12 | FLAT WASHER | 1 |
| 9 | GB889. 1-M12 | 1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1 |
| 10 | GB12613-23×20×10 | BEARING-SLIDE | 1 |
| 11 | CT-Y-4121000 | CYCLINDER SEALING PARTS ASSEMBLY | 1 |
| 11.1 | GB3452. 1-75×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 2 |
| 11.2 | CT-Y-0160007 | SEAL-ROD, CYLNDR | 1 |
| 11.3 | GB3452. 1-20×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1 |
| 11.4 | CT-Y-4120006 | PISTON | 1 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------------|------------------------------------------|-------|
| 1 | CT-Q-1000001 | AIR GUIDE EXTERNAL BUSHING | 1 |
| 2 | CT-Q-1000002 | AIR GUIDE ROTATION BUSHING | 1 |
| 3 | GB71-M3×6 | SLOTTED CONIC HEAD SET SCREW | 4 |
| 4 | GB3452. 1-60×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 3 |
| 5 | FPC 8-01 | MALE STRAIGHT | 4 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-------------------------|------------------------------------------|-------|
| 1 | CT-J-0000005 | GEARBOX | 1 |
| 2 | CT-J-0000006 | GEARBOX TOP | 1 |
| 3 | CT-J-0000004 | WORM ROD | 1 |
| 4 | CT-J-0000008 | BELT PULLEY | 1 |
| 5 | CT-J-0000002 | WORM SHAFT | 1 |
| 6 | GB276-6208 | BEARING | 1 |
| 7 | GB1096-12×8×56 | COMMON FLAT KEY | 1 |
| 8 | GB297-30205 | BEARING | 2 |
| 9 | GB1099. 1-6×9×22 | COMMON SEMI-CIRCULAR KEY | 1 |
| 10 | CT-J-0000003 | WORM | 1 |
| 11 | GB894. 1-50 | RETAINING RING A-TYPE | 1 |
| 12 | FB25-40 GB13871. 92 | SEALED RING | 1 |
| 13 | CT-J-0100000 | CAP | 1 |
| 14 | GB276-6010 | DEEP GROOVE BALL BEARINGS | 1 |
| 15 | GB96. 2-8 | LARGE WASHER C GRADE | 1 |
| 16 | GB93-8 | STANDARD SPRING WASHER | 1 |
| 17 | GB5783-M8×25 | HEXANGULAR BOLT | 1 |
| 18 | GB70. 1-M8×30 | INNER HEXA CYLINDRICAL SCREW | 8 |
| 19 | GB41-M8 | HEXANGULAR NUT | 8 |
| 20 | GB3452. 1-13. 2×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1 |
| 21 | TC-10-1400013 | BOLT | 1 |

CT-DJ-0318112Y




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|----------------|-------------------------------------|-------|
| 1 | CT-DJ-0018112Y | MOTOR (220-240V, 50Hz, 1P, 1.1Kw) | 1 |
| 2 | CT-DJ-0000001 | MOTOR SUPPORT | 1 |
| 3 | CT-DJ-0000002 | RUBBER WASHER | 8 |
| 4 | CT-DJ-0000004 | PULLEY | 1 |
| 5 | GB5783-M10×50 | HEXANGULAR BOLT | 4 |
| 6 | GB96. 1-10 | LARGE WASHER A GRADE | 4 |
| 7 | GB95-10 | FLAT WASHER | 4 |
| 8 | GB41-M10 | HEXANGULAR NUT | 4 |
| 9 | GB78-M5×16 | INNER HEXA CONIC TERMINUS SET SCREW | 1 |
| 10 | GB41-M5 | HEXANGULAR NUT | 1 |
| 11 | GB1096-6×6×25 | COMMON FLAT KEY | 1 |

CT-DJ-0334122




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------|-------------------------------------|-------|
| 1 | CT-DJ-0034122 | MOTOR (380V, 50Hz, 3P, 0.75Kw) | 1 |
| 2 | CT-DJ-0000001 | MOTOR SUPPORT | 1 |
| 3 | CT-DJ-0000002 | RUBBER WASHER | 8 |
| 4 | CT-DJ-0000004 | PULLEY | 1 |
| 5 | GB5783-M10×50 | HEXANGULAR BOLT | 4 |
| 6 | GB96. 1-10 | LARGE WASHER A GRADE | 4 |
| 7 | GB95-10 | FLAT WASHER | 4 |
| 8 | GB41-M10 | HEXANGULAR NUT | 4 |
| 9 | GB78-M5×16 | INNER HEXA CONIC TERMINUS SET SCREW | 1 |
| 10 | GB41-M5 | HEXANGULAR NUT | 1 |
| 11 | GB1096-6×6×25 | COMMON FLAT KEY | 1 |


CT-DJ-0344123



| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------|-------------------------------------------------|-------|
| 1 | CT-DJ-0044123 | MOTOR(380V, 50Hz, 3P, 0.85-1.1Kw, DOUBLE SPEED) | 1 |
| 2 | CT-DJ-0000001 | MOTOR SUPPORT | 1 |
| 3 | CT-DJ-0000002 | RUBBER WASHER | 8 |
| 4 | CT-DJ-0000003 | MOTOR BELT PULLEY | 1 |
| 5 | GB5783-M10×50 | HEXANGULAR BOLT | 4 |
| 6 | GB96. 1-10 | LARGE WASHER A GRADE | 4 |
| 7 | GB95-10 | FLAT WASHER | 4 |
| 8 | GB41-M10 | HEXANGULAR NUT | 4 |
| 9 | GB78-M5×16 | INNER HEXA CONIC TERMINUS SET SCREW | 1 |
| 10 | GB41-M5 | HEXANGULAR NUT | 1 |
| 11 | GB1096-6×6×25 | COMMON FLAT KEY | 1 |




| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|-----------------------|-------------------------------------|-------|
| 1 | CT-F-2000010 | PRESSURE ADJUST VALVE AND WATER CUP | 1 |
| 2 | CT-F-2000020 | OIL CUP | 1 |
| 3 | CT-F-2000003 | PRESSURE GAUGE | 1 |
| 4 | FPL 8-02 | INSERT ELBOW $\Phi 8$, R1/4 | 1 |
| 5 | PEH 02-02 | FEMALE UNION TEE | 1 |
| 6 | GB70. 1-M4 \times 8 | INNER HEXA CYLINDRICAL SCREW | 4 |
| 7 | C-01-1500004 | OPEN NUT | 1 |
| 8 | CT-F-2000040 | AIR REGULATOR BRACKET | 1 |



| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|--------------|----------------|-------|
| 1 | CT-P-6000001 | INFLATING GUN | 1 |
| 2 | C-01-1500004 | OPEN NUT | 1 |
| 3 | CT-P-1000002 | INFLATION HOSE | 1 |

C-77-800000N



| ITEM | PART. No | DESCRIPTION. | QT. Y |
|------|---------------------|------------------------------------------|-------|
| 1 | C-54-8000002 | ACCESSORY BOX | 1 |
| 2 | C-54-8000003 | 20INCH CROWBAR | 1 |
| 3 | C-54-8100000 | GREASE CONTAINER | 1 |
| 4 | C-54-8000004 | BRACKET | 1 |
| 5 | C-54-8000005 | CLAMP PROTECTION COVER | 4 |
| 6 | C-54-1300014 | SHEATH | 2 |
| 7 | C-54-8000007 | TOOL HEAF TAIL WASHER | 1 |
| 8 | C-90-1000013 | BEAD BREAKER BLADE COVER | 1 |
| 9 | C-54-8000019 | CROWBAR JACKET | 1 |
| 10 | C-54-8000011 | AIR SUPPLY CONNECTOR | 1 |
| 11 | GB3452. 1-8×2. 65-A | HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE | 1 |